

B


TECHNICAL SPECIFICATIONS

TECHNISCHE SPEZIFIKATIONEN

ENG | The specifications of Bellezi chairs and beds define more than just technical requirements. For each product you will find details such as the capacity of the LINAK® motors, the integrated heating system, precise scale drawings of the dimensions and the exact weight in kilograms.

DE | Die technischen Daten der Bellezi-Liegen gehen über reine Anforderungen hinaus. Für jedes Produkt finden Sie Angaben zur Kapazität der LINAK®-Motoren, zum integrierten Heizsystem, präzise maßstabsgerechte Zeichnungen sowie das exakte Gewicht in Kilogramm.



VERSA NOBLE W4



ELECTRICAL DATA

LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
2 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
2 x LINAK BL1		or	2 x LINAK CL1
Max. Load:	Push 2000N IPX6	Max. Load:	Push 4000N IPX6
Power rate:	24V, Max 4.4 A	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
<p>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</p> <p>BL1: Certified according to international medical safety standards (IEC 60601-1, ANSI/AAMI ES60601-1, CAN/CSA-C22.2 No. 60601-1) and rated IPX6 for water protection.</p> <p>LC1: Designed for medical applications and developed in line with IEC 60601-1 safety standards.</p>			


Name:	Versa Noble W4	Date:	01 - 02 - 2026	Continental Skai Toronto or Silverguard Upholstery	
E.d. Firma:				Artikel Nr.: W-010	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L195 x W85 x H85 CM	
				N.W. 138KG	G.W. 155KG
				Status: Available	Subject to change without notice



230v cable with schuko plug/Type F

- Optional:
- Type G (U.K.)
- Type A-B (U.S.A)
- Type I (China)


VELVET EVO W4 PRO + PRO PODO



ELECTRICAL DATA


LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
2 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
2 x LINAK BL1		or	2 x LINAK CL1
Max. Load:	Push 2000N IPX6	Max. Load:	Push 4000N IPX6
Power rate:	24V, Max 4.4 A	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
<p>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</p> <p>BL1: Certified according to international medical safety standards (IEC 60601-1, ANSI/AAMI ES60601-1, CAN/CSA-C22.2 No. 60601-1) and rated IPX6 for water protection.</p> <p>LC1: Designed for medical applications and developed in line with IEC 60601-1 safety standards.</p>			

Name:	Velvet Evo W4 Pro (Podo)	Date:	01 - 12 - 2021	Continental Skai Toronto or Silverguard Upholstery	
E.d. Firma:				Artikel Nr.: W-006 / W-007	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L195 x W85 x H85 CM	
				N.W. 138KG	G.W. 155KG
				Status: Available	Subject to change without notice



Velvet Evo W4 Pro Podo

Velvet Evo W4 Pro




230v cable with schuko plug/Type F

Optional:
Type G (U.K.)
Type A-B (U.S.A.)
Type I (China)

650 + stroke
(400mm)Option:560 +
stroke (330mm)530 +
stroke (250mm)



VELVET EVO W4



ELECTRICAL DATA

LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
2 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
2 x LINAK BL1		or	2 x LINAK CL1
Max. Load:	Push 2000N IPX6	Max. Load:	Push 4000N IPX6
Power rate:	24V, Max 4.4 A	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
<p>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</p> <p>BL1: Certified according to international medical safety standards (IEC 60601-1, ANSI/AAMI ES60601-1, CAN/CSA-C22.2 No. 60601-1) and rated IPX6 for water protection.</p> <p>LC1: Designed for medical applications and developed in line with IEC 60601-1 safety standards.</p>			


Name:	Velvet Evo W4	Date:	01 - 12 - 2021	Continental Skai Toronto or Silverguard Upholstery	
E.d. Firma:				Artikel Nr.: W-008	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L195 x W85 x H85 CM	
				N.W. 130KG	G.W. 155KG
				Status: Available	Subject to change without notice



230v cable with schuko plug/Type F

Optional:
Type G (U.K.)
Type A-B (U.S.A)
Type I (China)



FASANO W3




ELECTRICAL DATA

LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
3 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
<small>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</small>			

Name:	Fasano W3	Date:	10- 06 - 2015	Silverguard Upholstery	
E.d. Firma:				Artikel Nr.: W-003	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L195 x W80 x H85 CM	
				N.W. 125KG	G.W. 150KG
				Status: Available	Subject to change without notice





AVIVO W4 + W4 PRO




ELECTRICAL DATA

LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
4 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
<small>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</small>			

Name:	Avivo W4 + W4 Pro	Date:	30 - 03 - 2015	Silverguard Upholstery	
E.d. Firma:				Artikel Nr.: W-001 / W-002	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L205 x W85 x H85CM	
				N.W. 125 KG	G.W. 145KG
				Status: Available	Subject to change without notice





SILK EVO S4 + S3 PODO




ELECTRICAL DATA

LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
3 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
1 x LINAK BL1		or	1 x LINAK CL1
Max. Load:	Push 2000N IPX6	Max. Load:	Push 4000N IPX6
Power rate:	24V, Max 4.4 A	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
<p>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</p> <p>BL1: Certified according to international medical safety standards (IEC 60601-1, ANSI/AAMI ES60601-1, CAN/CSA-C22.2 No. 60601-1) and rated IPX6 for water protection.</p> <p>LC1: Designed for medical applications and developed in line with IEC 60601-1 safety standards.</p>			

Name:	Silk Evo S4 + S3 Podo	Date:	01 - 12 - 2021	Continental Skai Toronto or Silverguard Upholstery	
E.d. Firma:	Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com			Artikel Nr.: F-002 / F-002	By approximation 1:5
				Packing Size: L140 x W90 x H75CM	
				N.W. 95KG	G.W. 112KG
	Status: Available	Subject to change without notice			



FIGO S4





ELECTRICAL DATA

LINAK Control Box			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
4 x LINAK LA27			
Max. Load:	Push 6000N IPX4	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6 A		
I out:	12V, 10 A		
<small>LA27: Certified according to European and US medical safety standards (EN 60601-1, UL 60601-1).</small>			


Name:	Figio S4	Date:	01 - 04 - 2014	Silverguard Upholstery	
E.d. Firma:			Artikel Nr.: F-001	By approximation 1:5	
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com			Packing Size: L135 x W70 x H85CM		
			N.W. 90KG	G.W. 105KG	
			Status: Available	Subject to change without notice	

+ 100 adjustable footrest



+ 100 adjustable headrest




TAYKERO ESSENTIAL



Name:	Taykero Essential	Date:	01 - 12 - 2025	Sunbrella Upholstery	
E.d. Firma:				Artikel Nr.: L-001	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L206 x B75 x H38CM	
				N.W. 26KG	G.W. 30KG
				Status: Available	Subject to change without notice





TAYKERO SIGNATURE - ZENITH



ELECTRICAL DATA

LINAK Control Box CA30			
U in:	100-240 V-50-60Hz		
I in:	Max. 3.9 A - IPX Washable		
1 x LINAK KA30			
Max. Load:	8.000N IPX6	Power rate:	24V, Max 5.0 A
Bellezi Intelligent Heating System™			
U in:	100-240 V-50-60Hz		
I in:	Max. 1.6. A		
I out:	12V, 10 A		
Neurosonic Technology - On request			
<small>KA30: Certified according to international medical safety standards (IEC 60601-1, ANSI/AAMI ES60601-1, CAN/CSA-C22.2 No. 60601-1).</small>			

Name:	Taykero Essential	Date:	01 - 12 - 2025	Sunbrella Upholstery	
E.d. Firma:				Artikel Nr.: L-001	By approximation 1:5
Bellezi Rientjesoven 14 7621 HG Borne The Netherlands Bellezi.com				Packing Size: L206 x B77 x H76 cm	
				N.W. 56KG	G.W. 62KG
				Status: Available	Subject to change without notice





Publication

Bellezi

More information

www.bellezi.com

